








































# FAA medications












## Search for a medication







Trade Name	FAA Allowed	Drug Classification	Treatment For	FAA Allowal Based On	Web Link
<b>Accolate</b> (zafirlukast)		antiasthmatic	asthma	<a href="#">detailed status report from treating physician</a>	
<b>Accupril</b> (quinapril)		antihypertensive agent	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Accutane</b> (isotretinoin)			acne treatment	night flying prohibited while using	
<b>Aceon</b> (perindopril erbumine)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Aciphex</b> (rabeprazole)		gastric acid secreting inhibitor	gastroesophageal reflux	<a href="#">status report and no adverse side effects</a>	
<b>Actifed</b> (actifed)		antihistamine	allergies allergic rhinitis common cold	12 hour wait before flying	




<b>Actigall</b> (ursidiol)		bile acid reduction agent	gall stones	<a href="#">status report and no adverse side effects</a> liver function studies	
<b>Actonel</b> (risedronate sodium)		bone resorption inhibitor	osteoporosis	<a href="#">status report and no adverse side effects</a>	
<b>Actoplus</b> (pioglitazone/metformin)		insulin sensitizing agent	Type 2 diabetes mellitus	diabetes evaluation	complete  writeup
<b>Actos</b> (pioglitazone)		oral diabetes agent	Type 2 diabetes mellitus	diabetes evaluation	complete  writeup
<b>Adalat</b> (nifedipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Adderall</b> (amphetamine)	<b>NOT ALLOWED</b>	stimulant	Attention Deficit Disorder		complete  writeup
<b>Advair</b> (fluticasone propionate)		antiasthmatic	asthma	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Aerobid</b> (flunisolide)		anti-inflammatory steroid	asthma	<a href="#">status report and no adverse side effects</a> pulmonary function studies	complete  writeup














<b>Aggrenox</b> (aspirin/extended release dipyridamole)		platelet aggregant inhibitor	stroke prevention	<a href="#">detailed status report from treating physician</a>	
<b>Agrylin</b> (anagrelide HCl)		blood platelet inhibitor	blood disorders	<a href="#">blood reports detailed status report from treating physician</a>	
<b>Aldactazide</b> (spironolactone)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Aldomet</b> (methyldopa)	<b>NOT ALLOWED</b>	antihypertensive agent	high blood pressure hypertension blood pressure		
<b>Allegra</b> (fexofenedine HCL)		histamine receptor antagonist	allergies allergic rhinitis	<a href="#">status report and no adverse side effects</a>	
<b>AlleRx</b> (methscopolamine)	<b>NOT ALLOWED</b>	acyclic nucleotide analog	allergies allergic rhinitis		
<b>Altace</b> (ramipril)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Amaryl</b> (glimeperide)		oral hypoglycemic agent	Type 2 diabetes mellitus	diabetes evaluation	

<b>Ambien</b> (zolpidem)		non-benzodiazepine hypnotic	occasional sleeplessness	24 hour wait before flying occasional use only	
<b>Amerge</b> (naratriptan hydrochloride)		receptor agonist	migraine headaches	<a href="#">status report and no adverse side effects</a> 24 hour wait before flying	complete 
<b>Amitriptyline</b> (amitriptyline)	<b>NOT ALLOWED</b>	tricyclic antidepressant	depression		
<b>Amoxil</b> (amoxicillin)		antibiotic	infections	no adverse side effects	
<b>Anaprox</b> (naproxen)		NSAID	pain management inflammation	no adverse side effects	
<b>Androgel</b> (testosterone gel)		testosterone gel	erectile dysfunction	<a href="#">status report and no adverse side effects</a>	
<b>Antabuse</b> (disulfiram)	<b>NOT ALLOWED</b>	alcohol withdrawal aid	chronic alcoholism		complete 
<b>Antivert</b> (meclizine)	<b>NOT ALLOWED</b>	antihistamine	vertigo motion sickness		
<b>Apresoline</b> (hydralazine)		antihypertensive agent	high blood pressure hypertension blood pressure	hypertension evaluation	complete 











<b>Aranesp</b> (darbepoetin alfa)	<b>NOT ALLOWED</b>	erythropoiesis stimulating protein	anemia		
<b>Arava</b> (leflunomide)		antirheumatic agent	rheumatoid arthritis	<a href="#">detailed status report from treating physician</a>	
<b>Aricept</b> (donepezil hcl)	<b>NOT ALLOWED</b>	enzyme reversible inhibitor	Alzheimer's disease		
<b>Arimidex</b> (anastrozole)		nonsteroidal aromatase inhibitor	breast cancer	<a href="#">detailed status report from treating physician</a>	
<b>Artane</b> (trihexyphenidyl)	<b>NOT ALLOWED</b>	antispasmodic	Parkinson's disease		
<b>Arthrotec</b> (diclofenac)		anti-inflammatory analgesic	pain management inflammation	no adverse side effects	
<b>Asacol</b> (mesalamine)		anti-inflammatory	ulcerative colitis	<a href="#">status report and no adverse side effects</a>	
<b>Asmanex</b> (mometasone)		corticosteroid	asthma	<a href="#">detailed status report from treating physician</a> no adverse side effects	
<b>Aspirin</b> (aspirin)		anti-inflammatory analgesic		dependent on specific symptoms being treated	











<b>Astelin</b> (azelastine)	<b>NOT ALLOWED</b>	histamine receptor antagonist	allergies allergic rhinitis		
<b>Atacand</b> (candesartan)	✓	angiotensin II receptor	high blood pressure hypertension blood pressure	hypertension evaluation	complete 
<b>Atamet</b> (carbidopa/levodopa)	✓	antidyskinetic	Parkinson's disease	neuro evaluation	complete 
<b>Atapryl</b> (selegiline)	✓	irreversible monoamine oxidase inhibitor (MAOI)	Parkinson's disease	neuro evaluation	complete 
<b>Atenolol</b> (atenolol)	✓	beta adrenergic blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete 
<b>Ativan</b> (benzodiazepine)	<b>NOT ALLOWED</b>	anti-anxiety	anxiety disorders		
<b>Augmentin</b> (amoxicillin)	✓	antibiotic	infections	no adverse side effects	
<b>Avalide</b> (irbesartan/hydrochlorothiazide)	✓	angiotensin II receptor/thiazide diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	complete 
<b>Avandamet</b> (rosiglitazone and metformin)	✓	oral diabetes agent	Type 2 diabetes mellitus	diabetes evaluation	complete 














<b>Avandaryl</b> (rosiglitazone/glimepiride)		oral diabetes agent	Type 2 diabetes mellitus	diabetes evaluation	
<b>Avandia</b> (rosiglitazone)		antidiabetic	Type 2 diabetes mellitus	diabetes evaluation	
<b>Avapro</b> (irbesartan)		angiotensin II receptor antagonist	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Avodart</b> (dutasteride)		5 (alpha) reductase inhibitor	benign prostatic hypertrophy	<a href="#">status report and no adverse side effects</a>	
<b>Avonex</b> (Interferon beta-1a)		amino acid glycoprotein	multiple sclerosis	detailed medical evaluation	
<b>Axert</b> (almotriptan malate)		selective receptor agonist	migraine headaches	<a href="#">status report and no adverse side effects</a>	
<b>Axid</b> (nizatidine)		histamine receptor antagonist	gastric reflux disease	<a href="#">status report and no adverse side effects</a>	
<b>Azactam</b> (aztreonam)		bactericidal antibiotic	infections	no adverse side effects	
<b>Azasan</b> (azathioprine)		immunosuppressive antimetabolite	colitis	<a href="#">status report and no adverse side effects</a>	












<b>Azilect</b> (rasagiline)	<b>NOT ALLOWED</b>	irreversible monoamine oxidase inhibitor (MAOI)	Parkinson's disease		
<b>Azmacort</b> (tiamcinolone)		steroid	asthma	<a href="#">status report and no adverse side effects</a>	
<b>Azulfidine</b> (sulfasalazine)		anti-inflammatory	ulcerative colitis	<a href="#">detailed status report from treating physician</a>	
<b>Benadryl</b> (diphenhydramine)	<b>NOT ALLOWED</b>	antihistamine	allergies allergic rhinitis		
<b>Benemid</b> (probenecid)		uric acid inhibitor	arthritis gout	<a href="#">status report and no adverse side effects</a>	
<b>Benicar</b> (olemarsartan medoximil)		angiotensin receptor antagonist	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Benoquin</b> (monobenzone cream)		depigmenting agent	vitiligo	no adverse side effects	
<b>Bentyl</b> (dicyclomine HCL)	<b>NOT ALLOWED</b>	antispasmodic	irritable bowel syndrome		
<b>Betapace</b> (sotalol)		antiarrhythmic	cardiac arrhythmia	detailed cardiac evaluation	





















<b>Betaseron</b> (Interferon beta-1a)		recombinant DNA protein	multiple sclerosis	<a href="#">detailed status report from treating physician</a>	
<b>Bextra</b> (valdecoxib)		non-steroidal anti-inflammatory	analgesic	no adverse side effects	
<b>Biaxin</b> (clarithromycin)		antibiotic	infections	medical history	
<b>Blockadren</b> (timolol)		beta blocker	ocular hypertension	detailed cardiac evaluation	
<b>Boniva</b> (ibandronate)		biophosphonate	bone loss prevention osteoporosis	no adverse side effects	
<b>Botox</b> (botulinum toxin)	<b>NOT ALLOWED</b>	botulinum toxin	cosmetic appearance		
<b>Bromfed</b> (bromfed)		antihistamine	nasal congestion	no adverse side effects	
<b>Bumex</b> (bumetanide)		loop diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Buspar</b> (buspirone)	<b>NOT ALLOWED</b>	anti-anxiety	anxiety disorders		
<b>Busulfan</b> (myleran)	<b>NOT ALLOWED</b>	bifunctional alkylating agent	chronic myelogenous leukemia		














<p><b>Byetta</b> (exenatide)</p>		<p>lipid regulating agent</p>	<p>Type 2 diabetes mellitus</p>	<p>30 day wait if used with any sulfonylurea drug; 14 day wait if used with other diabetes medications. After each injection, 2 hour wait before flying not allowed when used with beta blockers</p>	<p>complete  writeup</p>
<p><b>Caduet</b> (amlodipene/atorvastatin)</p>		<p>dual therapy antihypertensive/cholesterol reducing agent</p>	<p>high blood pressure elevated blood lipids</p>	<p>hypertension evaluation</p>	<p>complete  writeup</p>
<p><b>Calan</b> (verapamil)</p>		<p>calcium channel blocker</p>	<p>high blood pressure hypertension blood pressure</p>	<p>hypertension evaluation</p>	<p>complete  writeup</p>
<p><b>Capoten</b> (captopril)</p>		<p>ACE inhibitor</p>	<p>high blood pressure hypertension blood pressure</p>	<p>hypertension evaluation</p>	<p>complete  writeup</p>
<p><b>Capozide</b> (captopril)</p>		<p>ACE inhibitor</p>	<p>high blood pressure hypertension blood pressure</p>	<p>hypertension evaluation</p>	<p>complete  writeup</p>








<b>Cardene</b> (nicardipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup
<b>Cardizem</b> (diltiazem)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup
<b>Cardura</b> (doxazosin)		alpha adrenergic receptor	high blood pressure hypertension blood pressure prostate enlargement	hypertension evaluation	 complete writeup
<b>Cartrol</b> (carteolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup
<b>Casodex</b> (bicalutamide)		nonsteroidal antiandrogen	prostate cancer	<a href="#">status report and no adverse side effects</a>	 complete writeup
<b>Cataflam</b> (diclofenac)		non-steroidal anti- inflammatory	pain management inflammation		
<b>Catapres</b> (clonidine)		alpha-agonist hypotensive	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup

<b>Caverject Impulse</b> (alprostadil)		prostaglandin vasodilator	erectile dysfunction	24 hour wait before flying	
<b>Ceconsal</b> (pseudoephedrine)		decongestant	allergies allergic rhinitis	no adverse side effects	
<b>Celebrex</b> (celecoxib)		NSAID	arthritis joint pain	no adverse side effects	
<b>Celexa</b> (citalopram)	<b>NOT ALLOWED</b>	SSRI antidepressant	depression		
<b>Cellcept</b> (cellcept)		immunosuppressive agent	organ transplant rejection	<a href="#">detailed status report from treating physician</a>	
<b>Cemadex</b> (torsemide)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Chantix</b> (varenicline)		partial selective agonist	smoking cessation	<a href="#">status report and no adverse side effects</a>	
<b>Cialis</b> (tadalafil)		impotence therapy agent	erectile dysfunction	36 hour wait after use before flying	
<b>Cibenzylina</b> (phenoxybenzamine)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	




<b>Cipro</b> (ciprofloxacin)		broad spectrum antibiotic	bacterial infections	no adverse side effects	
<b>Clarinex</b> (desloratadine)		antihistamine	allergic rhinitis	no adverse side effects	
<b>Claritin</b> (loratadine)		antihistamine	allergies allergic rhinitis	no adverse side effects	
<b>Clinoril</b> (Sulindac)		non-steroidal anti-inflammatory	arthritis	no adverse side effects	
<b>Clomid</b> (clomiphene citrate)		non-steroidal ovulatory stimulant	infertility	<a href="#">status report and no adverse side effects</a>	
<b>Clonazepam</b> (clonazepam)	<b>NOT ALLOWED</b>	benzodiazepine	seizure disorder panic disorder		
<b>Clozapine</b> (clozapine)	<b>NOT ALLOWED</b>	tricyclic dibenzodiazepine	psychosis		
<b>Clozaril</b> (clozapine)	<b>NOT ALLOWED</b>	tricyclic dibenzodiazepine	psychosis		
<b>Cogentin</b> (benztropine mesylate)	<b>NOT ALLOWED</b>	synthetic atropine	Parkinson's disease		
<b>Cognex</b> (tacrine hydrochloride)	<b>NOT ALLOWED</b>	reversible cholinesterase inhibitor	Alzheimer's disease		
<b>Colazal</b> (balsalazide disodium)		anti-inflammatory	ulcerative colitis	<a href="#">detailed status report from treating physician</a>	













<b>Colbenemid</b> (colchicine)		uric acid inhibitor	gout	<a href="#">detailed status report from treating physician</a>	
<b>colestid</b> (micronized colestipol)		lipid regulating agent	cholesterol reduction elevated blood lipids gall stones	<a href="#">status report and no adverse side effects</a>	
<b>Combunox</b> (Oxycodone and Ibuprofen)	<b>NOT ALLOWED</b>	analgesic	pain management		
<b>Combunox</b> (Oxycodone and Ibuprofen)	<b>NOT ALLOWED</b>	narcotic analgesic	pain management		
<b>Comtan</b> (entacapone)	<b>NOT ALLOWED</b>	COMT inhibitor	Parkinson's disease		complete 
<b>Concerta</b> (methylphenidate HCl)	<b>NOT ALLOWED</b>	CNS stimulant	Attention Deficit Hyperactivity Disorder		complete 
<b>Copaxone</b> (glatiramer acetate)		immune function modifier	multiple sclerosis	30 day wait after starting drug	
<b>Cordarone</b> (amiodarone)		antiarrhythmic	heart arrhythmia	detailed cardiac evaluation	complete 
<b>Coreg</b> (carvedilol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete 











<b>Corgard</b> (nadolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Cortef</b> (cortef)		corticosteroid	dermatological conditions	maximum 20 mg. daily summary evaluation	
<b>Corzide</b> (nadolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Cosopt</b> (dorzolamide and timolol)		antiglaucoma agent	glaucoma	FAA eye evaluation	
<b>Coumadin</b> (warfarin)		anticoagulant	vascular disorders	detailed medical evaluation blood reports	
<b>Covera</b> (verapamil)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Cozaar</b> (losartan)		angiotensin receptor	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Crestor</b> (rosuvastatin calcium)		lipid regulating agent	cholesterol reduction	<a href="#">status report and no adverse side</a>	












				<a href="#">effects</a>	
<b>Cylert</b> (pemoline)	<b>NOT ALLOWED</b>	CNS stimulant	Attention Deficit Hyperactivity Disorder		complete writeup 
<b>Cymbalta</b> (duloxetine)	<b>NOT ALLOWED</b>	antidepressant	depression		
<b>Cymbalta</b> (duloxetine hydrochloride)	<b>NOT ALLOWED</b>	antidepressant	major depressive disorder		
<b>Cymbalta</b> (duloxetine)	<b>NOT ALLOWED</b>	antidepressant	diabetic neuropathy		
<b>Cytomel</b> (liothyronine)		synthesized hormone	hypothyroidism	detailed medical evaluation	complete writeup 
<b>Cytotec</b> (misoprostol)		gastric acid secreting inhibitor	gastric ulcer disease	<a href="#">status report and no adverse side effects</a>	complete writeup 
<b>Dalmane</b> (flurazepam hydrochloride)	<b>NOT ALLOWED</b>	hypnotic agent	insomnia		
<b>Darvocet</b> (propoxyphene napsylate)	<b>NOT ALLOWED</b>	narcotic analgesic	pain management		
<b>Darvon</b> (propoxyphene HCl)	<b>NOT ALLOWED</b>	narcotic analgesic	pain management		
<b>Daypro</b> (oxaprozin)		non-steroidal anti-inflammatory	pain management inflammation		
<b>DDAVP</b> (desmopressin acetate)		synthetic analog of vasopressin hormone	nocturnal enuresis (urination);	<a href="#">detailed status report from</a>	





















			diabetes insipidus	<a href="#">treating physician</a> one week of medication usage without side effects	
<b>Decadron</b> (dexamethasone)		adrenocortical steroid	multiple indications for usage	maximum 20 mg. daily no adverse side effects	
<b>Demerol</b> (meperidine HCl)	<b>NOT ALLOWED</b>	narcotic analgesic	pain management		
<b>Depakene</b> (valproic acid)	<b>NOT ALLOWED</b>	antiepileptic	seizure disorder		
<b>Depakote</b> (divalproex sodium)	<b>NOT ALLOWED</b>	anticonvulsant	manic stage of bipolar disorder seizure disorder migraine headaches		
<b>Desyrel</b> (trazodone)	<b>NOT ALLOWED</b>	antidepressant	depression pain management		
<b>Detrol</b> (tolterodine)		receptor antagonist	overactive bladder	<a href="#">status report and no adverse side effects</a>	
<b>Dexatrim</b> (Dexatrim)		appetite suppressant	obesity management	24 hour wait before flying	















<b>Dexedrine</b> (dextroamphetamine sulphate)	<b>NOT ALLOWED</b>	CNS stimulant	Attention Deficit Disorder Attention Deficit Hyperactivity Disorder narcolepsy		<b>complete</b> 
<b>Diabeta</b> (glyburide)		oral hypoglycemic agent	Type 2 diabetes mellitus	diabetes evaluation	<b>complete</b> 
<b>Diflucan</b> (Fluconazole)		antifungal	fungal infections	<a href="#">status report and no adverse side effects</a>	
<b>Digitek</b> (digoxin)		antiarrhythmic	cardiac arrhythmia	detailed cardiac evaluation	<b>complete</b> 
<b>Dilacor</b> (dilacor)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	<b>complete</b> 
<b>Dilantin</b> (phenytoin)	<b>NOT ALLOWED</b>	antiepileptic	seizure disorder		
<b>Diovan</b> (valsartan)		angiotensin receptor antagonist	high blood pressure hypertension blood pressure	hypertension evaluation	<b>complete</b> 
<b>Dipentum</b> (olsalazine)		anti-inflammatory	ulcerative colitis	<a href="#">status report and no adverse side effects</a>	<b>complete</b> 












<b>Ditropan/Ditropan XL</b> (oxybutynin chloride)	<b>NOT ALLOWED</b>	antispasmodic	bladder spasms		
<b>Diuril</b> (chlorothiazide)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Dolobid</b> (diflunasil)		anti-inflammatory	arthritis joint pain	no adverse side effects	complete  writeup
<b>Dostinex</b> (cabergoline)		dopamine receptor agonist	hyperprolactinemic disorders	<a href="#">detailed status report from treating physician</a>	
<b>Doxepin</b> (doxepin HCl)	<b>NOT ALLOWED</b>	tricyclic psychotherapeutic agent	anxiety disorders depression		
<b>Droxia</b> (hydroxurea)			sickle cell anemia	<a href="#">detailed status report from treating physician</a> no adverse side effects	
<b>Dyazide</b> (Dyazide)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Dynacirc</b> (isradipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup

<b>Dyrenium</b> (triamterine)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup
<b>Effexor</b> (venlafaxine HCl)	<b>NOT ALLOWED</b>	atypical antidepressant	depression		
<b>Elavil</b> (amitriptyline)	<b>NOT ALLOWED</b>	antidepressant	depression		
<b>Eldepryl</b> (selegiline)		irreversible monoamine oxidase inhibitor (MAOI)	Parkinson's disease	neuro evaluation	 complete writeup
<b>Elmiron</b> (pentosan)		anti-inflammatory	bladder pain cystitis	<a href="#">status report and no adverse side effects</a>	
<b>Enablex</b> (darifenacin hydrobromide)		muscarinic receptor antagonist	bladder spasms	reviewed on a case by case basis	
<b>Enbrel</b> (etanercept)		dimeric fusion protein	rheumatoid arthritis	<a href="#">detailed status report from treating physician</a>	 complete writeup
<b>Entex</b> (phenylephrine)		decongestant	respiratory tract infection sinus congestion	no adverse side effects	
<b>Entocort</b> (budesonide)		synthetic corticosteroid	Crohn's disease	dosage not to exceed 9mg. and no use with prednisone	 complete writeup













<b>Epivir</b> (lamivudine)		synthetic nucleoside analog	HIV	<a href="#">detailed status report from treating physician</a>	
<b>Eskalith</b> (lithium carbonate)	<b>NOT ALLOWED</b>		manic stage of bipolar disorder		
<b>Evista</b> (raloxifene)		selective estrogen receptor modulator	bone loss prevention	unacceptable if treating depression symptoms	
<b>Exubera</b> (inhaled insulin)	<b>NOT ALLOWED</b>	powdered insulin for inhalation (rDNA origin)	Type 2 diabetes mellitus Type 1 diabetes		complete 
<b>Femara</b> (letrozole)		non-steroidal aromatase inhibitor	breast cancer	<a href="#">detailed status report from treating physician</a>	complete 
<b>Flagyl</b> (metronidazole)		antibacterial	bacterial infections	<a href="#">detailed status report from treating physician</a> no adverse side effects	
<b>Flexeril</b> (cyclobenzaprine HCl)	<b>NOT ALLOWED</b>	antispasmodic	muscle spasms		
<b>Flomax</b> (tamsulosin)		alpha adrenoreceptor antagonist	benign prostatic hypertrophy	<a href="#">status report and no adverse side effects</a>	













<b>Flonase</b> (fluticasone propionate)		synthetic corticosteroid	allergies allergic rhinitis	<a href="#">status report and no adverse side effects</a>	
<b>Florinef</b> (florinef acetate)		corticosteroid	Addison's disease	<a href="#">status report and no adverse side effects</a>	
<b>Flovent</b> (fluticasone propionate)		glucocorticosteroid	asthma	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Floxin</b> (ofloxacin)		antimicrobial	ear infection	<a href="#">status report and no adverse side effects</a>	
<b>Fludara</b> (fludarabine)		antiviral agent	lymphocytic leukemia	<a href="#">detailed status report from treating physician</a>	complete  writeup
<b>FocalinXR</b> (dexmethylphenidate)	<b>NOT ALLOWED</b>	CNS stimulant	Attention Deficit Disorder Attention Deficit Hyperactivity Disorder		complete  writeup
<b>Foradil</b> (formoterol)		bronchodilator	asthma chronic bronchial asthma emphysema	<a href="#">detailed status report from treating physician</a>	complete  writeup
<b>Forteo</b> (teriparatide)		recombinant parathyroid hormone	osteoporosis	<a href="#">status report and no adverse side effects</a>	









<b>Fosamax</b> (alendronate)		bone resorption inhibitor	osteoporosis	no adverse side effects	
<b>Glucophage</b> (metformin)		oral hypoglycemic agent	Type 2 diabetes mellitus	diabetes evaluation	complete  writeup
<b>Glucotrol</b> (glipizide)		oral hypoglycemic agent	Type 2 diabetes mellitus	diabetes evaluation	complete  writeup
<b>Glyrase</b> (glyburide)		sulfonylurea antidiabetic	Type 2 diabetes mellitus	diabetes evaluation	complete  writeup
<b>Haldol</b> (haloperidol decanoate)	<b>NOT ALLOWED</b>	antipsychotic	schizophrenia		
<b>Helidac</b> (bismuth subsalicylate/metronidazole/tetracycline)		antibiotic	gastric ulcer disease	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Hepsera</b> (adefovir dipivoxil)		acyclic nucleotide analog	chronic hepatitis B	<a href="#">status report and no adverse side effects</a>	
<b>Herceptin</b> (Trastuzumab)	<b>NOT ALLOWED</b>	recombinant DNA monoclonal antibody	breast cancer		complete  writeup
<b>Hismanal</b> (astemizole)		histamine receptor antagonist	allergic rhinitis		
<b>Humira</b> (adalimumab)		recombinant DNA monoclonal antibody	rheumatoid arthritis	case by case review; no flying for 4 hours after use; requires	complete  writeup










				annual follow up report from treating physician	
<b>Humulin</b> (insulin)		synthesized hormone	Type 1 diabetes	diabetes evaluation	complete  writeup
<b>Hydrodiuril</b> (hydrochlorothiazide)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Hydroxyurea</b> (hydroxyurea)		antimetabolite	polycythemia vera	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Hytrin</b> (terazosin)		alpha-blocker	high blood pressure benign prostatic hypertrophy hypertension prostate enlargement	hypertension evaluation	complete  writeup
<b>Hyzaar</b> (losartan)		angiotensin receptor antagonist	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Imdur</b> (isosorbide mononitrate)	<b>NOT ALLOWED</b>	nitrate vessel dilator	angina pectoris coronary artery disease		complete  writeup























<b>Imitrex</b> (sumatriptin)		migraine treatment	migraine headaches	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Imodium</b> (loperamide HCL)		antidiarrheal	inflammatory bowel disease irritable bowel syndrome	12 hour wait before flying	complete  writeup
<b>Imuran</b> (azathioprine)		immunosuppressive agent	inflammatory bowel disease Crohn's disease rheumatoid arthritis	<a href="#">detailed status report from treating physician</a>	complete  writeup
<b>Inderal</b> (propranolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Inspra</b> (eplerenone)		aldosterone blocker	high blood pressure hypertension	hypertension evaluation	complete  writeup
<b>Januvia</b> (sitagliptin)	<b>NOT ALLOWED</b>	oral diabetes agent	Type 2 diabetes mellitus		complete  writeup
<b>Keflex</b> (cephalexin)		systemic antibacterial	bacterial infections	no adverse side effects	
<b>Keppra</b> (levetiracetam)	<b>NOT ALLOWED</b>	antiepileptic	seizure disorder		











<b>Kerlone</b> (betaxolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup
<b>Kineret</b> (anakinra)		injectable recombinant receptor antagonist antiinflammatory	rheumatoid arthritis	<a href="#">detailed status report from treating physician</a>	 complete writeup
<b>Klonopin</b> (clonazepam)	<b>NOT ALLOWED</b>	benzodiazepine	seizure disorder panic disorder		
<b>Lamictal</b> (lamotrigine)	<b>NOT ALLOWED</b>	antiepileptic	seizure disorder		
<b>Lanoxin</b> (digoxin)		cardiac drug	heart arrhythmia	detailed cardiac evaluation	 complete writeup
<b>Lantus</b> (insulin glargine)		human insulin analog	Type 1 diabetes	diabetes evaluation	 complete writeup
<b>Lariam</b> (mefloquine hydrochloride)	<b>NOT ALLOWED</b>	antimalarial drug	malaria		
<b>Lasix</b> (furosemide)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup
<b>Lescol</b> (fluvastatin)		lipid regulating agent	cholesterol reduction	<a href="#">status report and no adverse side effects</a>	
<b>Levaquin</b> (levofloxacin)		antibacterial	infections	no adverse side effects	











<b>Levitol</b> (penbutalol)		beta adrenergic blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Levbid</b> (hyoscyamine)		antispasmodic	gastrointestinal disorders	48 hour wait before flying, maximum use twice weekly, status report confirming no adverse side effects	complete  writeup
<b>Levitra</b> (vardenafil)		impotence therapy agent	erectile dysfunction	6 hour wait before flying <a href="#">status report and no adverse side effects</a>	
<b>Levoxyl</b> (levothyroxine sodium)		synthesized hormone	thyroid replacement	<a href="#">status report and no adverse side effects</a>	
<b>Levsin</b> (hyoscyamine)		antispasmodic	gastrointestinal disorders	48 hour wait before flying, maximum use twice weekly, status report confirming no adverse side effects	complete  writeup

<b>Lexapro</b> (escitalopram)	<b>NOT ALLOWED</b>	SSRI antidepressant	depression		
<b>Lexxel</b> (felodipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Librax</b> (chlordiazepoxide/clinidium)	<b>NOT ALLOWED</b>	CNS depressant	gastrointestinal disorders		complete  writeup
<b>Librium</b> (chlordiazepoxide)	<b>NOT ALLOWED</b>	CNS depressant	anxiety disorders		
<b>Limbrel</b> (flavocoxid)		medical food product (phytonutrient)	arthritis	no adverse side effects	complete  writeup
<b>Lioresal</b> (baclofen)	<b>NOT ALLOWED</b>	antispasmodic	bladder spasms		
<b>Lipitor</b> (atorvastatin)		lipid regulating agent	cholesterol reduction lipid reduction	<a href="#">status report and no adverse side effects</a>	
<b>Lisinopril</b> (lisinopril hydrochlorothiazide)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Lodine</b> (etodolac)		NSAID	inflammation	no adverse side effects	
<b>Lomotil</b> (diphenoxylate)	<b>NOT ALLOWED</b>	antidiarrheal	diarrhea		








<b>Lopid</b> (gemfibrozil)		lipid regulating agent	cholesterol reduction	<a href="#">status report and no adverse side effects</a>	
<b>Lopressor</b> (metoprolol)		beta adrenergic blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Lortab</b> (hydrocodone)	<b>NOT ALLOWED</b>	semisynthetic narcotic analgesic	pain management		
<b>Lortab</b> (hydrocodone bitartrate and acetaminophen)	<b>NOT ALLOWED</b>	opioid agonist analgesic	pain management		
<b>Lotensin</b> (benazepril)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Lotrel</b> (amlodipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Lotronex</b> (alosetron HCl)	<b>NOT ALLOWED</b>	selective serotonin antagonist	irritable bowel syndrome		complete  writeup
<b>Lovenox</b> (enoxaparin sodium)		antithrombotic heparin	DVT	<a href="#">status report and no adverse side effects</a>	
<b>Loxitane</b> (loxapine succinate)	<b>NOT ALLOWED</b>	tricyclic antipsychotic	schizophrenia		













<b>Lozol</b> (indapamide)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Lumigan</b> (bimatoprost)		ophthalmic solution	elevated intraocular pressure	FAA eye evaluation	
<b>Lunesta</b> (eszopiclone)	<b>NOT ALLOWED</b>	sleep aid	sleep disorders		
<b>Lupron</b> (leuprolide acetate)		gonadotropin inhibitor	prostate cancer	<a href="#">detailed status report from treating physician</a>	
<b>Lyrica</b> (Pregabalin)	<b>NOT ALLOWED</b>	antiepileptic	seizure disorder peripheral neuropathy diabetic neuropathy		
<b>Malarone</b> (atovaquone and proguanil hydrochloride)		antimalarial drug	malaria	<a href="#">status report and no adverse side effects</a>	
<b>Mavik</b> (trandoparil)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Maxalt</b> (rizatriptan)		selective receptor agonist	migraine headaches	24 hour wait before flying	




<b>Maxide</b> (triamterine)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Meclofenamate</b> (meclofenamate)		NSAID	pain management inflammation	no adverse side effects	
<b>Megace</b> (megestrol acetate)		synthetic progesterone	chemotherapy side effects	<a href="#">status report and no adverse side effects</a>	
<b>Meridia</b> (sibutramine Hcl monohydrate)	<b>NOT ALLOWED</b>	obesity medication	obesity management		
<b>Mestinon</b> (pyridostigmine bromide)	<b>NOT ALLOWED</b>	cholinesterase inhibitor	myasthenia gravis		
<b>Metformin</b> (glucophage)		oral hypoglycemic agent	Type 2 diabetes mellitus	diabetes evaluation	
<b>Mevacor</b> (lovastatin)		lipid regulating agent	cholesterol reduction elevated blood lipids lipid reduction	<a href="#">status report and no adverse side effects</a>	
<b>Mexitil</b> (mexilitene hydrochloride)		antiarrhythmic	cardiac arrhythmia peripheral neuropathy	<a href="#">detailed status report from treating physician</a>	
<b>Micardis</b> (telmisartan)		angiotensin II receptor	high blood pressure hypertension	hypertension evaluation	











			blood pressure		
<b>Midrin</b> (isomephthene mucate)	<b>NOT ALLOWED</b>	aliphatic amine	migraine headaches		complete 
<b>Minipres</b> (prazosin)		alpha blocker hypertensive	high blood pressure hypertension blood pressure	hypertension evaluation	complete 
<b>Minoxidil</b> (minoxidil)		hair growth stimulant	hair loss	no adverse side effects	
<b>Mirapex</b> (pramipexole dihydrochloride)	<b>NOT ALLOWED</b>	dopamine agonist	Parkinson's disease		complete 
<b>Mobic</b> (meloxicam)		NSAID	arthritis	<a href="#">status report and no adverse side effects</a>	complete 
<b>Monodox</b> (doxycycline monohydrate)		antibiotic	infections	<a href="#">status report and no adverse side effects</a>	
<b>Monopril</b> (fosinopril)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	complete 
<b>Morphine</b> (morphine sulfate)	<b>NOT ALLOWED</b>	opioid agonist	pain management		













<b>Mykrox</b> (metolazone)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>mysoline</b> (primidone)	<b>NOT ALLOWED</b>	anticonvulsant	seizure disorder		
<b>Nalfon</b> (fenoprofen)		non-steroidal anti-inflammatory	pain management	<a href="#">status report and no adverse side effects</a>	
<b>Namenda</b> (memantine hydrochloride)	<b>NOT ALLOWED</b>	NMDA antagonist	Alzheimer's disease		
<b>Naprosyn</b> (naproxen)		NSAID	inflammation	no adverse side effects	
<b>Nasacort</b> (triamcinolone acetonide)		glucocorticosteroid	allergies allergic rhinitis	no adverse side effects	
<b>Nasonex</b> (mometasone furoate)		nasal decongestant	allergies	<a href="#">status report and no adverse side effects</a>	
<b>Neurontin</b> (gabapentin)	<b>NOT ALLOWED</b>	anticonvulsant	postherpetic neuralgia seizure disorder Restless Leg Syndrome		
<b>Nexavar</b> (sorafenib)	<b>NOT ALLOWED</b>	antineoplastic agent	renal cell carcinoma		














<b>Nexium</b> (esomeprazole)		proton pump inhibitor	GERD	<a href="#">status report and no adverse side effects</a>	
<b>Niaspan</b> (niacin extended release)		niacin/B complex/antihyperlipidemic	cholesterol reduction	<a href="#">status report and no adverse side effects</a>	
<b>Nifedipine</b> (adalat)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>NitroDur</b> (nitroglycerin)	<b>NOT ALLOWED</b>	organic nitrate vessel dilator	angina pectoris coronary artery disease		
<b>Nitrostat</b> (nitroglycerin)	<b>NOT ALLOWED</b>	organic nitrate vessel dilator	angina pectoris coronary artery disease		
<b>Nizoral</b> (ketoconazole)		antifungal	fungal infections	no adverse side effects	
<b>Nolvadex</b> (tamoxifen citrate)		nonsteroidal antiestrogen	breast cancer	<a href="#">detailed status report from treating physician</a>	
<b>Norflex</b> (orphenadrine)		analgesic	musculoskeletal conditions	12 hour wait before flying occasional use only	











<b>Normodyne</b> (labetolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup
<b>Norpace</b> (disopyramide)		antiarrhythmic	cardiac arrhythmia	detailed cardiac evaluation	 complete writeup
<b>Nortriptyline</b> (nortriptyline)	<b>NOT ALLOWED</b>	tricyclic antidepressant	depression		
<b>Norvasc</b> (amlodipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	 complete writeup
<b>Numerous brands</b> (acetaminophen)		analgesic	general pain relief	no adverse side effects	
<b>Numerous names</b> (amoxicillin)		antibiotic	microbial infections	dependent on specific symptoms being treated	
<b>numerous trade names</b> (Ibuprofen)		non-steroidal anti- inflammatory	pain management inflammation	no adverse side effects	
<b>Nystatin</b> (nystatin)		antibiotic	fungal infections	no adverse side effects	
<b>Omacor</b> (omega 3 acid ethyl esters)		lipid regulating agent	elevated blood lipids	<a href="#">status report and no adverse side effects</a>	
<b>Orap</b>	<b>NOT</b>	antipsychotic	tics caused by		

(pimozide)	<b>ALLOWED</b>		Tourette's Disorder		
<b>Orencia</b> (atabacept)		selective costimulation modulator	rheumatoid arthritis	<a href="#">detailed status report from treating physician</a>	
<b>Orudis</b> (ketoprofen)		NSAID	inflammation	no adverse side effects	
<b>Oruvail</b> (ketoprofen)		NSAID	inflammation	no adverse side effects	
<b>Oxycontin</b> (oxycodone)	<b>NOT ALLOWED</b>	opioid agonist analgesic	pain management		
<b>Oxytrol</b> (oxybutynin)	<b>NOT ALLOWED</b>	antispasmodic	bladder spasms		
<b>Pacerone</b> (amiodarone)		antiarrhythmic	heart arrhythmia	detailed cardiac evaluation	
<b>Parlodel</b> (bromocriptine)		dopamine receptor agonist	Parkinson's disease	<a href="#">status report and no adverse side effects</a>	
<b>Paxil</b> (paroxetine HCl)	<b>NOT ALLOWED</b>	SSRI antidepressant	depression		
<b>Pegasys</b> (peginterferon alfa-2a)	<b>NOT ALLOWED</b>	recombinant alfa-2a	hepatitis C		
<b>Pentasa</b> (mesalamine)		gastrointestinal anti inflammatory	Crohn's disease	<a href="#">status report and no adverse side effects</a>	









<b>Pentolin</b> (albuterol)		bronchodilator	pulmonary disease asthma	<a href="#">status report and no adverse side effects</a> pulmonary function studies	complete  writeup
<b>Pepcid</b> (famotidine)		histamine receptor antagonist	GERD ulcer disease	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Percocet</b> (oxycodone HCl)	<b>NOT ALLOWED</b>	semisynthetic opioid	pain management		
<b>Percodan</b> (oxycodone HCl)	<b>NOT ALLOWED</b>	semisynthetic opioid	pain management		
<b>Peristat</b> (doxycycline)		antibiotic	infections	no adverse side effects	
<b>Permax</b> (pergolide)	<b>NOT ALLOWED</b>	dopamine receptor agonist	Parkinson's disease		complete  writeup
<b>Phrenilin</b> (butalbital)	<b>NOT ALLOWED</b>	analgesic	tension headaches		
<b>Pilocar</b> (Pilocarpine)		antiglaucoma agent	glaucoma	glaucoma eye evaluation	complete  writeup
<b>Plaquenil</b> (hydroxychloroquin)		antiprotozoal	malaria rheumatoid arthritis	<a href="#">status report and no adverse side effects</a>	
<b>Plavix</b> (clopidogrel)		platelet aggregant inhibitor	vascular event inhibition	<a href="#">detailed status report from treating physician</a> no adverse side	










				effects	
<b>Plendil</b> (felodipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Pletal</b> (cilostazol)	<b>NOT ALLOWED</b>	platelet aggregant inhibitor	leg circulation impairment		
<b>Posicor</b> (mibefradil)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Potaba</b> (aminobenzoate)		antifibrotic	scleroderma		
<b>Prandin</b> (repaglinide)		antidiabetic	Type 2 diabetes mellitus	diabetes evaluation	complete  writeup
<b>Pravachol</b> (pravastatin)		lipid regulating agent	elevated blood lipids	<a href="#"><u>status report and no adverse side effects</u></a>	
<b>Precose</b> (acarbose)		oral hypoglycemic agent	Type 2 diabetes mellitus	diabetes evaluation	complete  writeup
<b>Prednisone</b> (prednisone)		steroid		maximum 20 mg. daily no adverse side effects	









<b>Premarin</b> (estrogen)		hormone replacement	menopause	no adverse side effects	
<b>Prevacid</b> (lansoprazole)		gastric acid secreting inhibitor	gastric ulcer disease	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Prilosec</b> (omeprazole)		stomach acid inhibitor	gastric acid GERD	<a href="#">status report and no adverse side effects</a>	
<b>Prinivil</b> (lisinopril)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Prinzide</b> (lisinopril hydrochlorothiazide)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Procanbid</b> (procainamide HCL)		antiarrhythmic	cardiac arrhythmia	detailed cardiac evaluation	complete  writeup
<b>Procardia</b> (nifedipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Procrit</b> (epoetin alfa)		recombinant amino acid glycoprotein	anemia	<a href="#">detailed status report from treating physician</a>	









<b>Prograf</b> (tacrolimus)		immunosuppressive agent	organ transplant rejection	<a href="#">detailed status report from treating physician</a>	
<b>Propulsid</b> (cisapride)		gastric acid secreting inhibitor	GERD	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Propylthiouracil</b> (Propylthiouracil)		antihyperthyroidism agent	hyperthyroidism	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Proscar</b> (finasteride)		steroid reductase inhibitor	prostate enlargement	<a href="#">status report and no adverse side effects</a>	
<b>Protonix</b> (pantoprazole)		antiulcer agent	GERD	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Proventil</b> (albuterol)		bronchodilator	pulmonary disease asthma	<a href="#">status report and no adverse side effects</a> pulmonary function studies	complete  writeup
<b>Provigil</b> (modafinil)	<b>NOT ALLOWED</b>	wakefulness promoting agent	narcolepsy		
<b>Prozac</b> (fluoxetine HCl)	<b>NOT ALLOWED</b>	atypical antidepressant	depression obsessive compulsive disorder		

























<b>Purinethol</b> (mercaptopurine)		chemotherapy agent	acute lymphatic leukemia	<a href="#">detailed status report from treating physician</a>	
<b>Pyridium</b> (phenazopyridine)		urinary tract analgesic	urinary tract discomfort	<a href="#">status report and no adverse side effects</a>	
<b>Rapamune</b> (sirolimus)		immunosuppressive agent	organ transplant rejection	<a href="#">status report and no adverse side effects</a>	
<b>Raptiva injection</b> (efalizumab)		monoclonal antibody	psoriasis	requires FAA review for approval	
<b>Razadyne ER</b> (galantamine)	<b>NOT ALLOWED</b>	acetylcholinesterase inhibitor	Alzheimer's disease		
<b>Rebetol</b> (ribavirin)	<b>NOT ALLOWED</b>	nucleoside analog	hepatitis C		
<b>Rebetron</b> (ribavirin and interferon alfa-2b)	<b>NOT ALLOWED</b>	nucleoside analog	hepatitis C		
<b>Rebif</b> (interferon beta-1a)	<b>NOT ALLOWED</b>	amino acid glycoprotein	multiple sclerosis		
<b>Reglan</b> (metaclopramide)		GI tract motility stimulator	gastroesophageal reflux	if more than 1 per day, 24 hour wait before flying	
<b>Relafen</b> (nabumetone)		NSAID	inflammation	no adverse side effects	













<b>Relpax</b> (eletriptan hydrobromide)	<b>NOT ALLOWED</b>	migraine treatment	migraine headaches		complete  writeup
<b>Remeron</b> (mirtazapine)	<b>NOT ALLOWED</b>	antidepressant	major depressive disorder		
<b>Remicade</b> (infliximab)		antirheumatic agent	inflammatory bowel disease	<a href="#">detailed status report from treating physician</a>	complete  writeup
<b>Reminyl</b> (galantamine)	<b>NOT ALLOWED</b>	tertiary alkaloid	Alzheimer's disease		
<b>Requip</b> (ropinirole HCl)	<b>NOT ALLOWED</b>	dopamine agonist	Parkinson's disease		complete  writeup
<b>Restasis</b> (cyclosporin emulsion)		topical immunomodulator	"dry eyes"	no adverse side effects	
<b>Restoril</b> (tamazepam)	<b>NOT ALLOWED</b>	benzodiazepine hypnotic	anxiety disorders		
<b>Rheumatrex</b> (methotrexate)		antimetabolite	rheumatoid arthritis	<a href="#">status report and no adverse side effects</a> liver function studies	complete  writeup
<b>Rhinocort</b> (budesonide)		glucocorticosteroid	allergies allergic rhinitis	no adverse side effects	
<b>Ritalin</b> (methylphenidate HCl)	<b>NOT ALLOWED</b>	CNS stimulant	Attention Deficit Disorder narcolepsy		complete  writeup











<b>Rituxan</b> (Rituximab)		monoclonal antibody	non-Hodgkin's lymphoma	30 day wait after starting drug detailed medical evaluation reviewed on a case by case basis	complete 
<b>Robaxin</b> (methocarbamol)	<b>NOT ALLOWED</b>	muscle relaxant	muscle spasms		
<b>Roferon-A</b> (Interferon alfa-2a, recombinat)	<b>NOT ALLOWED</b>	genetically engineered protein	hepatitis C Kaposi's sarcoma hairy cell leukemia		
<b>Rozerem</b> (ramelteon)	<b>NOT ALLOWED</b>	melatonin receptor agonist	insomnia		
<b>Rythmol</b> (propafenone)		antiarrhythmic	cardiac arrhythmia	detailed cardiac evaluation	complete 
<b>Scopolamine</b> (transdermal scopolamine)	<b>NOT ALLOWED</b>	belladonna alkaloid	motion sickness		
<b>Sectral</b> (acebutelol)		beta adrenergic blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete 
<b>Serevent</b> (salmeterol xinafoate)		bronchodilator	asthma	<a href="#">status report and no adverse side effects</a>	complete 
<b>Serzone</b> (nefazodone HCl)	<b>NOT ALLOWED</b>	atypical antidepressant	depression		

<b>Sinemet</b> (carbidopa/levodopa)		antidyskinetic	Parkinson's disease	control of symptoms neuro evaluation	 complete writeup
<b>Sinequan</b> (doxepin HCl)	<b>NOT ALLOWED</b>	tricyclic psychotherapeutic agent	anxiety disorders depression		
<b>Singulair</b> (montelukast sodium)		selective leukotriene receptor antagonist	allergies allergic rhinitis	<a href="#">status report and no adverse side effects</a>	
<b>Singulair</b> (montelukast)		antiasthmatic	chronic bronchial asthma	<a href="#">detailed status report from treating physician</a>	 complete writeup
<b>Skelaxin</b> (metaxalone)	<b>NOT ALLOWED</b>	CNS depressant	musculoskeletal conditions		 complete writeup
<b>Soma</b> (carisoprodol)	<b>NOT ALLOWED</b>	5 (alpha) reductase inhibitor	muscle spasms		
<b>Sonata</b> (zaleplon)		non-benzodiazepine hypnotic	occasional sleeplessness	12 hour wait before flying occasional use only	
<b>Soriatane</b> (acitretin)		retinoid	psoriasis	<a href="#">detailed status report from treating physician</a> night flying prohibited while using no color light signal control	








<b>Spansule</b> (dextroamphetamine sulfate)	<b>NOT ALLOWED</b>	CNS stimulant	Attention Deficit Disorder Attention Deficit Hyperactivity Disorder		complete 
<b>Spiriva</b> (tiotropium bromide)		anticholinergic	asthma emphysema	<a href="#">status report and no adverse side effects</a>	complete 
<b>Sporanox</b> (itraconazole)		antifungal	fungal infections	no adverse side effects	
<b>Stalevo</b> (carbidopa/levodopa/entacapone)	<b>NOT ALLOWED</b>	anti-Parkinson's agent	Parkinson's disease		complete 
<b>Starlix</b> (nateglinide)		oral antidiabetic agent	Type 2 diabetes mellitus	diabetes evaluation	complete 
<b>Stelazine</b> (trifluoperazine HCl)	<b>NOT ALLOWED</b>	antianxiety	anxiety disorders psychosis		
<b>Strattera</b> (atomoxetine)	<b>NOT ALLOWED</b>	selective norepinephrine reuptake inhibitor	Attention Deficit Hyperactivity Disorder		complete 
<b>Sudafed</b> (pseudoephedrine)		decongestant	allergies common cold	no adverse side effects	
<b>Sular</b> (nisoldipine)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete 











<b>Sustiva</b> (efavirenz)		non-nucleoside reverse transcriptase inhibitor (NNRTI)	HIV	<a href="#">detailed status report from treating physician</a>	
<b>Symlin</b> (Pramlintide)	<b>NOT ALLOWED</b>	injectable antihyperglycemic drug	Type 1 diabetes		complete  writeup
<b>Symmetrel</b> (amantadine)	<b>NOT ALLOWED</b>	antiviral agent	Parkinson's disease		complete  writeup
<b>Synthroid</b> (levothyroxin)		thyroid hormone	thyroid replacement	<a href="#">status report and no adverse side effects</a>	
<b>Tagamet</b> (cimetidine)		histamine receptor antagonist	gastric ulcer disease gastric reflux disease	<a href="#">status report and no adverse side effects</a>	complete  writeup
<b>Tambocor</b> (flecainide)		antiarrhythmic	heart arrhythmia	detailed cardiac evaluation	complete  writeup
<b>Tamiflu</b> (oseltamivir)		influenza viral inhibitor	influenza virus	<a href="#">status report and no adverse side effects</a>	
<b>Tapazole</b> (methimazole)		thyroid hormone inhibitor	hyperthyroidism	detailed medical evaluation reviewed on a case by case basis	complete  writeup









<b>Tarka</b> (trandalopril/verapamil)		channel blocker/ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Tegretol</b> (carbamazepine)	<b>NOT ALLOWED</b>	anticonvulsant	seizure disorder		
<b>Tenoretic</b> (atenolol)		beta adrenergic blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Tenormin</b> (atenolol)		beta adrenergic blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Teveten</b> (eprosartan mesylate)		angiotensin II receptor antagonist	high blood pressure hypertension	hypertension evaluation	complete  writeup
<b>Theo-Dur</b> (theophylline)		bronchodilator	pulmonary disease	<a href="#">status report and no adverse side effects</a> pulmonary function studies	complete  writeup
<b>Tiazac</b> (diltiazem)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup












<b>Ticlid</b> (ticlopidine)		platelet aggregant inhibitor	stroke prevention	30 day observation period with no evidence of thrombocytopenia	complete 
<b>Tikosyn</b> (dofetilide)	<b>NOT ALLOWED</b>	antiarrhythmic	heart arrhythmia		complete 
<b>Timoptic</b> (timolol maleate)		beta adrenergic blocker	glaucoma	glaucoma eye evaluation	complete 
<b>Topamax</b> (topiramate)	<b>NOT ALLOWED</b>	antiepileptic	seizure disorder migraine headaches		
<b>Toprol</b> (metoprolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete 
<b>Toradol</b> (ketorolac)		NSAID	inflammation	no adverse side effects	
<b>Transderm</b> (scopolamine)	<b>NOT ALLOWED</b>	belladonna alkaloid	motion sickness		
<b>Tranxene</b> (clorazepate dipotassium)	<b>NOT ALLOWED</b>	benzodiazepine	anxiety disorders		
<b>Travatan</b> (travoprost)		ophthalmic solution	glaucoma ocular hypertension	glaucoma eye evaluation	complete 
























<b>Trental</b> (pentoxifylline)		blood thinner	peripherovascular disease	detailed medical evaluation	
<b>Trexall</b> (methotrexate)		antimetabolite	rheumatoid arthritis	<a href="#">detailed status report from treating physician</a> liver function studies	complete  writeup
<b>Tricor</b> (fenofibrate)		lipid regulating agent	cholesterol reduction	no adverse side effects	
<b>Triglide</b> (fenofibrate)		lipid regulating agent	elevated blood lipids	<a href="#">status report and no adverse side effects</a>	
<b>Trinalin</b> (azatadine maleate)		antihistamine	upper respiratory congestion	24 hour wait before flying	
<b>Ultracet</b> (tramadol HCl, acetaminophen)	<b>NOT ALLOWED</b>	synthetic opioid analgesic	acute pain		
<b>Ultram</b> (tramadol HCl)		synthetic opioid analgesic	acute pain	occasional use only 48 hour wait before flying, maximum use twice weekly, status report confirming no adverse side effects reviewed on a case by case basis	



<b>Uniphyll</b> (theophylline)		bronchodilator	asthma	<a href="#">status report and no adverse side effects</a>	
<b>Univasc</b> (moexipril)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Urispas</b> (flavoxate)	<b>NOT ALLOWED</b>	urinary tract antispasmodic	bladder spasms overactive bladder		
<b>Uroxatral</b> (alfuzosin)		alpha adrenergic receptor	benign prostatic hypertrophy	<a href="#">status report and no adverse side effects</a>	
<b>Valium</b> (diazepam)	<b>NOT ALLOWED</b>	benzodiazepine derivative	anxiety disorders		
<b>Valtrex</b> (valacyclovir)		antiviral agent	Herpes virus	<a href="#">status report and no adverse side effects</a>	
<b>Vasotec</b> (enalapril)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	
<b>Velcade</b> (bortezomib)	<b>NOT ALLOWED</b>	antineoplastic agent	multiple myeloma		
<b>Verapamil</b> (verapamil)		calcium channel blocker	high blood pressure hypertension blood pressure	hypertension evaluation	

<b>Vesicare</b> (solifenacin succinate)		muscarinic receptor antagonist	urinary urgency, incontinence	30 day wait after starting drug <a href="#">detailed status report from treating physician</a>	
<b>Viagra</b> (sildenafil)		impotence therapy agent	erectile dysfunction	6 hour wait before flying <a href="#">status report and no adverse side effects</a>	
<b>Vicodin</b> (hydrocodone bitartrate)	<b>NOT ALLOWED</b>	semisynthetic narcotic	pain management		
<b>Virazole</b> (ribavirin)		antiviral agent	respiratory tract infection	<a href="#">status report and no adverse side effects</a>	
<b>Visken</b> (pindolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete 
<b>Voltaren</b> (diclofenac)		NSAID	inflammation	no adverse side effects	
<b>Vytorin</b> (ezetimibe/simvastatin)		lipid regulating agent	lipid reduction	<a href="#">status report and no adverse side effects</a>	
<b>Welchol</b> (colesevelam hydrochloride)		lipid regulating agent	lipid reduction	<a href="#">status report and no adverse side</a>	

				<a href="#">effects</a>	
<b>Wellbutrin</b> (bupropion)	<b>NOT ALLOWED</b>	antidepressant	depression		
<b>Xalatan</b> (xalatan)		intraocular pressure agent	glaucoma	glaucoma eye evaluation	
<b>Xanax</b> (alprazolam)	<b>NOT ALLOWED</b>	benzodiazepine antianxiety	anxiety disorders		
<b>Xenical</b> (orlistat)		lipase inhibitor	obesity management	one week of medication usage without side effects	
<b>Xolair</b> (omalizumab)		recombinant DNA monoclonal antibody	asthma	<a href="#">detailed status report from treating physician</a>	
<b>Xopenex</b> (levalbuterol)		selective beta 2-adrenergic receptor agonist	asthma	<a href="#">status report and no adverse side effects</a>	
<b>Yocon</b> (yohimbe)		selective alpha-2 adrenergic receptor antagonist	erectile dysfunction	24 hour wait before flying	
<b>Zantac</b> (ranitidine)		histamine receptor antagonist	gastric acid	<a href="#">status report and no adverse side effects</a>	
<b>Zaroxolyn</b> (metolazone)		diuretic	high blood pressure hypertension blood pressure	hypertension evaluation	

<b>Zebeta</b> (bisoprolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Zegerid</b> (omeprazole)		stomach acid inhibitor	gastric reflux disease	no adverse side effects	complete  writeup
<b>Zerit</b> (stavudine)		synthetic thymidine nucleoside analogue	HIV	<a href="#">detailed status report from treating physician</a>	
<b>Zestoretic</b> (lisinopril)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Zestril</b> (lisinopril)		ACE inhibitor	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup
<b>Zetia</b> (ezetimibe)		lipid regulating agent	lipid reduction	<a href="#">status report and no adverse side effects</a>	
<b>Ziac</b> (bisoprolol)		beta blocker	high blood pressure hypertension blood pressure	hypertension evaluation	complete  writeup

<b>Zithromax</b> (azithromycin)		antibiotic	infections	no adverse side effects	
<b>Zocor</b> (simvastatin)		lipid regulating agent	cholesterol reduction elevated blood lipids lipid reduction	<a href="#">status report and no adverse side effects</a>	
<b>Zofran</b> (ondansetron)	<b>NOT ALLOWED</b>	anti-nausea	nausea, vomiting		
<b>Zoladex</b> (goserelin acetate implant)		synthetic decapeptide analogue of LHRH	breast cancer prostate cancer	24 hour wait before flying	
<b>Zoloft</b> (sertraline HCl)	<b>NOT ALLOWED</b>	SSRI antidepressant	major depressive disorder		
<b>Zomig</b> (zolmitriptan)		migraine treatment	migraine headaches	24 hour wait before flying occasional use only	
<b>Zonegran</b> (zonisamide)	<b>NOT ALLOWED</b>	anticonvulsant	seizure disorder		
<b>Zovirax</b> (acyclovir)		antiviral agent	Herpes virus	no adverse side effects	
<b>Zyban</b> (bupropion)	<b>NOT ALLOWED</b>	antidepressant	depression		
<b>Zyflo</b> (zileuton)		antiasthmatic	chronic asthma	<a href="#">status report and no adverse side effects</a>	

<b>Zyloprim</b> (allopurinol)		uric acid inhibitor	gout	<a href="#">status report and no adverse side effects</a>	
<b>Zyprexa</b> (olanzapine)	<b>NOT ALLOWED</b>	thienobenzodiazepine psychotropic	schizophrenia		
<b>Zyrtec</b> (cetirizine)		antihistamine	allergies allergic rhinitis	48 hour wait before flying, maximum use twice weekly, status report confirming no adverse side effects	

### [Search for a medication](#)

## Disclaimer

This database is compiled by the AOPA Medical Certification Department and is based upon confirmation with the FAA Aerospace Medical Certification Division in Oklahoma City. Although these medications are generally allowed by the FAA for flight duties, there are variables with each individual's situation that could render a particular medication inappropriate for flying because of case history or adverse side effects. Some medications are being used "off label". This means that a drug is prescribed for symptoms that do not fall within the FDA's approval guidelines for that drug. This is just one example of why the FAA might not approve a drug that is on the list.

FAR 61.53 prohibits a person from acting as pilot in command or as a required pilot flight crew member while that person (1) "knows or has reason to know of any medical condition that would make the person unable to meet the requirements for the medical certificate necessary for the pilot operation"; or, (2) "Is taking medication or receiving other treatment for a medical condition that results in the person being unable to meet the requirements for the medical certificate necessary for the pilot operation."

FAR 91.17 states (a) No person may act or attempt to act as a pilot crewmember of a civil aircraft

(3) While using any drug that affects the person's faculties in any way contrary to safety❖

Although we maintain the medications list as accurately as possible, there may be drugs that do not appear in the database. If you have any questions about a particular medication that does not appear, contact the Medical Certification specialists on the AOPA Pilot Information Center, 800/872-2672.

©1995-2006 Aircraft Owners and Pilots Association